FILE INFO			ECRET Filled In)	7 P 1 1 1 H 1 1 1 1 H 1 1 1 1 2 2	
	er 13 2 5 38	2 REPRODUCT	ION PROHIBITED		1 1
ACTION	1	6	11	16	
	3	8	12	18	
25X1A	4	JO 11	UTE L 14	19 2Ø	
25X1A	5   82395Z SE		704	1-71	
				2 Em	
	3		ILLE	SIR	
	*** * *** * **				-[]
A R	EQUESTS FO	LLOWING MESSAG	E BE PASSED TO		
		25 AUG 78			
				25X1A	
<b>b</b> •		25 AUG 78			
344 5 434 1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		OF SEEDING	- 1
I. PER R	eference (	A), QUEST	IONS ADVISABILITY	Vr 35.075.04	2571
					25X1
		A), QUEST CAL MANUALS/IN		OUGH BLACK	25X1
OMPLETE SET	OF TECHNI	CAL MANUALS/IN	STRUCTIONS. ALT	IOUSH BLACK	25X1
COMPLETE SET	OF TECHNI DESCRIBED	CAL MANUALS/IN PER SE, THE R	STRUCTIONS. ALT)	IOUEH BLACE	25X1
COMPLETE SET	OF TECHNI DESCRIBED	CAL MANUALS/IN	STRUCTIONS. ALT)	IOUEH BLACE	25X1
COMPLETE SET BOXES MAY BE ELECTRNIC SY	OF TECHNI DESCRIBED STEMS IS N	CAL MANUALS/IN PER SE, THE R OT EXPLAINED.	STRUCTIONS. ALT) RESPONSIVE INTERFA SUGGEST INSTEAD	IOUCH BLACK ICE OF THAT	25X1
COMPLETE SET BOXES MAY BE ELECTRNIC SY SEND PERSON	OF TECHNI DESCRIBED STEMS IS N OR PERSONS	CAL MANUALS/IN PER SE, THE R OT EXPLAINED. FOR BRIEFING	STRUCTIONS. ALTH RESPONSIVE INTERFA SUGGEST INSTEAD ON CHURCH DOOR SY	OUCH BLACK ICE OF THAT ISTEMS AND GO	
COMPLETE SET SOXES MAY BE ELECTRNIC SY SEND PERSON THROUGH MISS	OF TECHNI DESCRIBED STEMS IS N OR PERSONS ION ANALYS	CAL MANUALS/IN PER SE, THE R OT EXPLAINED. FOR BRIEFING	STRUCTIONS. ALTO RESPONSIVE INTERPA SUGGEST INSTEAD ON CHURCH DOOR ST PERSONNEL. ALSO,	OUSH BLACK ICE OF THAT ISTEMS AND GO FROM DISCUSSIO	
COMPLETE SET SOXES MAY BE ELECTRNIC SY SEND PERSON THROUGH MISS	OF TECHNI DESCRIBED STEMS IS N OR PERSONS ION ANALYS	CAL MANUALS/IN PER SE, THE R OT EXPLAINED. FOR BRIEFING	STRUCTIONS. ALTH RESPONSIVE INTERFA SUGGEST INSTEAD ON CHURCH DOOR SY	OUSH BLACK ICE OF THAT ISTEMS AND GO FROM DISCUSSIO	
COMPLETE SET  COXES MAY BE  ELECTRNIC SY  SEND PERSON  AROUGH MISS  CAN DEFI	OF TECHNI DESCRIBED STEMS IS N OR PERSONS ION ANALYS	CAL MANUALS/IN PER SE, THE R OT EXPLAINED. FOR BRIEFING BIS WITHF OF CONCERN AND	STRUCTIONS. ALTO RESPONSIVE INTERPA SUGGEST INSTEAD ON CHURCH DOOR ST PERSONNEL. ALSO,	OUSH BLACK ICE OF THAT ISTEMS AND GO FROM DISCUSSIO	
COMPLETE SET  COXES MAY BE  ELECTRNIC SY  SEND PERSON  THROUGH MISS  CAN DEFI  OF PERFORMAN	OF TECHNI DESCRIBED STEMS IS N OR PERSONS ION ANALYS NE AREAS O	CAL MANUALS/IN PER SE, THE R OT EXPLAINED. FOR BRIEFING SIS WITHF OF CONCERN AND CERFACE.	STRUCTIONS. ALTO RESPONSIVE INTERFA SUGGEST INSTEAD ON CHURCH DOOR SY PERSONNEL. ALSO, OBTAIN SPECIFIC	OUCH BLACK ICE OF THAT (STEMS AND GO FROM DISCUSSIO	2
COMPLETE SET  CO	OF TECHNI DESCRIBED STEMS IS N OR PERSONS ION ANALYS NE AREAS O ICE AND INT	CAL MANUALS/IN PER SE, THE R OT EXPLAINED. FOR BRIEFING SIS WITHF OF CONCERN AND TERFACE. (B),	STRUCTIONS. ALTO RESPONSIVE INTERPA SUGGEST INSTEAD ON CHURCH DOOR SY PERSONNEL. ALSO, OBTAIN SPECIFIC	IOUSH BLACE ICE OF THAT ISTEMS AND GO FROM DISCUSSION CHARACTERISTICS	2
COMPLETE SET COMPLETE COMPLETE SET COMPLETE SET COMPLETE COMPLETE SET COMPLETE	OF TECHNI DESCRIBED SIEMS IS N OR PERSONS HE AREAS O ICE AND INT	CAL MANUALS/IN PER SE, THE R OT EXPLAINED. FOR BRIEFING SIS WITH FOR CONCERN AND CERFACE.  (B),	STRUCTIONS. ALTO RESPONSIVE INTERPA SUGGEST INSTEAD ON CHURCH DOOR SY PERSONNEL. ALSO, OBTAIN SPECIFIC (	IOUSH BLACK ICE OF THAT ISTEMS AND GO FROM DISCUSSION CHARACTERISTICS IN EVALUATION TIME OF BRIEF	2
COMPLETE SET COMPLETE COMPLETE SET COMPLETE SET COMPLETE COMPLETE SET COMPLETE	OF TECHNI DESCRIBED SIEMS IS N OR PERSONS HE AREAS O ICE AND INT	CAL MANUALS/IN PER SE, THE R OT EXPLAINED. FOR BRIEFING SIS WITH FOR CONCERN AND CERFACE.  (B),	STRUCTIONS. ALTO RESPONSIVE INTERPA SUGGEST INSTEAD ON CHURCH DOOR SY PERSONNEL. ALSO, OBTAIN SPECIFIC (	IOUSH BLACE ICE OF THAT ISTEMS AND GO FROM DISCUSSION CHARACTERISTICS	2
COMPLETE SET  CO	OF TECHNI DESCRIBED STEMS IS N OR PERSONS ION ANALYS NE AREAS O ICE AND INT	CAL MANUALS/IN PER SE, THE R HOT EXPLAINED. FOR BRIEFING HIS WITH FOR CONCERN AND TERFACE.  (B),  THAT	STRUCTIONS. ALTO RESPONSIVE INTERFA SUGGEST INSTEAD ON CHURCH DOOR SY PERSONNEL. ALSO, OBTAIN SPECIFIC ( WILLING TO AID FOR EVALUATION AT	OUCH BLACE ICE OF THAT (STEMS AND GO FROM DISCUSSION CHARACTERISTICS IN EVALUATION TIME OF BRIEF T PERSONS SHOU	2
COMPLETE SET  CO	OF TECHNI DESCRIBED STEMS IS N OR PERSONS ION ANALYS NE AREAS O ICE AND INT REFERENCE AT LY IT FELT	CAL MANUALS/IN PER SE, THE R ROT EXPLAINED. FOR BRIEFING SIS WITH PROPERTY AND FERFACE.  B), THAT IMPOSSIBLE AT	STRUCTIONS. ALTO RESPONSIVE INTERFA SUGGEST INSTEAD ON CHURCH DOOR ST PERSONNEL. ALSO, OBTAIN SPECIFIC  WILLING TO AID FOR EVALUATION AT TEAM OF SELECTION THIS TIME. IF N	IOUSH BLACK ICE OF THAT ISTEMS AND GO FROM DISCUSSION CHARACTERISTICS IN EVALUATION TIME OF BRIEF T PERSONS SHOUL ECESSARY,	2
COMPLETE SET COXES MAY BE ELECTRNIC SY SEND PERSON THROUGH MISS CAN DEFI OF PERFORMAN A 2. PER M A 2. PER M A 3. IDEAL WISIT BI GOULD POSSIO	OF TECHNI DESCRIBED STEMS IS N OR PERSONS ION ANALYS NE AREAS O ICE AND INT REFERENCE AT LY IT FELT BLY FOLLOW	CAL MANUALS/IN PER SE, THE R ROT EXPLAINED. FOR BRIEFING SIS WITH PROPERTY AND FERFACE.  B), THAT IMPOSSIBLE AT	STRUCTIONS. ALTO RESPONSIVE INTERFA SUGGEST INSTEAD ON CHURCH DOOR SY PERSONNEL. ALSO, OBTAIN SPECIFIC ( WILLING TO AID FOR EVALUATION AT	IOUSH BLACK ICE OF THAT ISTEMS AND GO FROM DISCUSSION CHARACTERISTICS IN EVALUATION TIME OF BRIEF T PERSONS SHOUL ECESSARY,	2
COMPLETE SET  CO	OF TECHNI DESCRIBED STEMS IS N OR PERSONS ION ANALYS NE AREAS O ICE AND INT REFERENCE AT LY IT FELT BLY FOLLOW	CAL MANUALS/IN PER SE, THE R ROT EXPLAINED. FOR BRIEFING SIS WITH PROPERTY AND FERFACE.  B), THAT IMPOSSIBLE AT	STRUCTIONS. ALTO RESPONSIVE INTERFA SUGGEST INSTEAD ON CHURCH DOOR ST PERSONNEL. ALSO, OBTAIN SPECIFIC  WILLING TO AID FOR EVALUATION AT TEAM OF SELECTION THIS TIME. IF N	IOUSH BLACK ICE OF THAT ISTEMS AND GO FROM DISCUSSION CHARACTERISTICS IN EVALUATION TIME OF BRIEF T PERSONS SHOUL ECESSARY,	2
COMPLETE SET COXES MAY BE ELECTRNIC SY SEND PERSON CHROUGH MISS CAN DEFI OF PERFORMAN A 2. PER F TH QUESTION A 3. IDEAL WISIT BI COULD POSSII S E C R T	OF TECHNI DESCRIBED STEMS IS N OR PERSONS ION ANALYS NE AREAS O ICE AND INT REFERENCE AT LY IT FELT BLY FOLLOW	CAL MANUALS/IN PER SE, THE R ROT EXPLAINED. FOR BRIEFING SIS WITH PROPERTY AND FERFACE.  B), THAT IMPOSSIBLE AT	STRUCTIONS. ALTO RESPONSIVE INTERFA SUGGEST INSTEAD ON CHURCH DOOR ST PERSONNEL. ALSO, OBTAIN SPECIFIC  WILLING TO AID FOR EVALUATION AT TEAM OF SELECTION THIS TIME. IF N	IOUSH BLACK ICE OF THAT ISTEMS AND GO FROM DISCUSSION CHARACTERISTICS IN EVALUATION TIME OF BRIEF T PERSONS SHOUL ECESSARY,	2
COMPLETE SET  CO	OF TECHNI DESCRIBED STEMS IS N OR PERSONS ION ANALYS NE AREAS O ICE AND INT REFERENCE AT LY IT FELT BLY FOLLOW	CAL MANUALS/IN PER SE, THE R ROT EXPLAINED. FOR BRIEFING SIS WITH PROPERTY AND FERFACE.  B), THAT IMPOSSIBLE AT	STRUCTIONS. ALTO RESPONSIVE INTERFA SUGGEST INSTEAD ON CHURCH DOOR ST PERSONNEL. ALSO, OBTAIN SPECIFIC  WILLING TO AID FOR EVALUATION AT TEAM OF SELECTION THIS TIME. IF N	IOUSH BLACK ICE OF THAT ISTEMS AND GO FROM DISCUSSION CHARACTERISTICS IN EVALUATION TIME OF BRIEF T PERSONS SHOUL ECESSARY,	2